

5111 Memorial Highway
Tampa, Florida 33634-7356
Phone: (813) 886-6085
Fax: (813) 886-8720

Pendorf & Cutliff

Fax

| | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------|-------------------------------------|
| To: | Group Art Unit 2859 Examiner Amanda J. Hoolahan | From: | Christopher J. Kay, Reg. No. 44,820 |
| Fax: | (571) 273-2246 | Pages: | 15 (including cover page) |
| Phone: | | Date: | 3/15/2004 |
| Re: | U.S. Appl. No. 10/088,626 Supplemental Amendment B | | |
| <input type="checkbox"/> Urgent <input checked="" type="checkbox"/> For Review <input type="checkbox"/> Please Comment <input type="checkbox"/> Please Reply <input type="checkbox"/> Please Recycle | | | |

PLEASE HAND DELIVER TO EXAMINER HOOLAHAN

Christopher J. Kay

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Peter Wilhelm KOENIG and Martin HINZMANN

Application No.: 10/088,626

Group Art Unit: 2859

Filed: March 18, 2002

Examiner: Hoolahan, Amanda J.

For: SUPPLY METER FOR LIQUID AND GASEOUS MEDIUMS

Attorney Docket: 3960.010

SUPPLEMENTAL AMENDMENT B

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Responsive to a telephone conference with Examiner Hoolahan today, the Supplemental Amendment B corrects the Non-Complaint Amendment B filed September 12, 2003, wherein there was not a complete listing of the claims. Please amend the above-identified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims, which begins on page 4 of this paper.

Remarks/Arguments begin on page 7 of this paper.